

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/749,384	12/28/2000	Arlin R. Davis	219.39286X00	5581
7590 03/01/2005 SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.			EXAMINER	
			LAZARO, DAVID R	
P.O. BOX 2938 MINNEAPOLI	D. BOX 2938 INNEAPOLIS, MN 55402		ART UNIT	PAPER NUMBER
	,		2155	
			DATE MAILED: 03/01/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office And Transport	09/749,384	DAVIS ET AL.				
Office Action Summary	Examiner	Art Unit				
	David Lazaro	2155				
The MAILING DATE of this communication appeared for Reply	opears on the cover sheet with the c	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPITHE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a re - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be timply within the statutory minimum of thirty (30) day d will apply and will expire SIX (6) MONTHS from te, cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 04	<u>October 2004</u> .					
2a)⊠ This action is FINAL . 2b)□ Th	is action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims	•					
4) ⊠ Claim(s) 1-22 is/are pending in the application 4a) Of the above claim(s) is/are withdress. 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-22 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/	awn from consideration.					
Application Papers	•					
9)☐ The specification is objected to by the Examir	ner.					
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the						
Replacement drawing sheet(s) including the corre						
Priority under 35 U.S.C. § 119	•					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the pri application from the International Burea * See the attached detailed Office action for a list	nts have been received. Its have been received in Applicationity documents have been received au (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary					
 Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date 10/04/04. 	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate · Patent Application (PTO-152)				

Art Unit: 2155

DETAILED ACTION

1. This Office Action is in response to the Amendment filed 10/04/2004.

- 2. Claims 1, 2, 7, 9, 15, 17 and 20 were amended.
- 3. Claims 1-22 are pending in this Office Action.

Response to Amendment

- 4. The previous Objections to the specification are withdrawn.
- 5. The previous Objections to Claims 1, 2, 7, 9, 17 and 20 are withdrawn.
- 6. Applicant's arguments filed 10/04/2004 have been fully considered but they are not persuasive.

Information Disclosure Statement

7. The information disclosure statement (IDS) submitted on 10/04/04 has been considered by the examiner.

Claim Objections

8. Claim 1 is objected to because of the following informalities: In line 10, "to" should be removed. It seems this was inadvertently left in based on the amendment. Appropriate correction is required.

Art Unit: 2155

Claim Rejections - 35 USC § 102

9. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

- 10. Claims 1-3, 6-11, 14-19, 21 and 22 are rejected under 35 U.S.C. 102(b) as being anticipated by H.T. Kung et al. "Credit-Based Flow Control for ATM Networks: Credit update protocol, Adaptive credit allocation, and Statistical multiplexing" SIGCOMM, 1994 (Kung).
- 11. With respect to Claim 1, Kung teaches a method of transmitting and receiving messages in a network (Page 103-105, Sections 3-5), comprising: transmitting a flow control message header to a transmitting node from a receiving node, wherein the flow control header comprises a message sent field (Page 104, Section 5, Paragraph 2) and a message limit field (Page 103, Section 4, Paragraph 2); transmitting a message from the transmitting node to the receiving node and incrementing a send counter (Page 104, Section 4, Paragraph 2); receiving the message by the receiving node and incrementing a consumed credits variable (Page 104, Section 4, Paragraph 2); determining whether a message was dropped when the message sent field is greater than to the value of the consumed credits variable (Page 105, Section 5, Last Paragraph 'To provide protection...'); adjusting the message limit field to compensate for the dropped message (Page 104, Section 5, Last Paragraph 'To provide protection...'); and transmitting the message limit field to the transmitting node (Page 104, Section 5, Paragraph 2 and Page 105, Section 5, Last Paragraph 'To provide protection...').

Art Unit: 2155

12. With respect to Claim 2, Kung teaches all the limitations of Claim 1 and further teaches the determining whether a message was dropped further comprises: setting a variable drop count equal to the message sent field less the consumed credits variable (Page 105, Section 5, Last Paragraph – 'To provide protection...'); determining if the variable drop count is less than an available credits variable (Page 104, Section 5, Paragraph 2, note that 'Vr' can be a drop count), wherein the available credits variable represents the total amount of space allocated to receive messages from a particular node (Page 103, Section 4, Paragraph 3); and increasing the message limit field value and transmitting the flow control message header to the transmitting node (Page 104, Section 5, Paragraph 2 and Page 105, Section 5, Last Paragraph – 'To provide protection...', the message limit is inherently increased since any increase in 'Vr' will increase the message limit).

- 13. With respect to Claim 3, Kung teaches all the limitations of Claim 2 and further teaches setting a new credits variable equal to the available credits variable plus the new credits; and setting the available credits variable to zero (Page 105, Section 5, Last Paragraph 'To provide protection...').
- 14. With respect to Claim 6, Kung teaches all the limitations of Claim 1 and further teaches transmitting at a predetermined time interval the flow control message header to the transmitting node, wherein a value contained in the message limit field is increased (Page 105, Section 5, Last Paragraph 'To provide protection...').
- 15. With respect to Claim 7, Kung teaches all the limitations of Claim 6 and further teaches the increase in the message limit field further comprises: incrementing send

Art Unit: 2155

counter and the message sent field (Page 104, Section 5, Paragraph 2); incrementing an available credits variable by a new credits variable (Page 104, Section 5, Paragraph 2), wherein the available credits variable represents the total number of messages the transmitting node may send and the new credits variable represents additional messages that may be transmitted by the transmitting node (Page 105, Section 5, Last Paragraph – 'To provide protection...', note that 'Ur' or 'Vr' represents an available credits and 'lost cells' represent new credits); and setting the message limit field equal to the consumed credits variable plus the available credits variable (Page 104, Section 5, Paragraph 2).

- 16. With respect to Claim 8, Kung teaches all the limitations of Claim 7 and further teaches determining if a get credit variable is set to true, wherein the get credit variable represents that additional messages may be sent by the transmitting node to the receiving node (Page 103, Section 4, Paragraph 2); and incrementing the available credits variable by the number of additional messages permitted (Page 104, Section 5, Paragraph 2).
- 17. With respect to Claim 9, Kung teaches an apparatus comprising a data storage medium for storing instructions when executed by a processor results in the apparatus performing a series of operations, comprising: transmitting a flow control message header to a transmitting node from a receiving node, wherein the flow control header comprises a message sent field (Page 104, Section 5, Paragraph 2) and a message limit field (Page 103, Section 4, Paragraph 2); transmitting a message from the transmitting node to the receiving node and incrementing a send counter (Page 104,

Art Unit: 2155

Section 4, Paragraph 2); receiving the message by the receiving node and incrementing a consumed credits variable (Page 104, Section 4, Paragraph 2); determining a message was dropped when the message sent field is less than or equal to the value of the consumed credits variable (Page 105, Section 5, Last Paragraph – 'To provide protection...'); adjusting the message limit field to compensate for the dropped message (Page 104, Section 5, Last Paragraph – 'To provide protection...'); and transmitting the message limit field to the transmitting node (Page 104, Section 5, Paragraph 2 and Page 105, Section 5, Last Paragraph – 'To provide protection...').

- 18. With respect to Claim 10, Kung teaches all the limitations of Claim 9 and further teaches the determining a message was dropped further comprises: setting a variable drop count equal to the message sent field less the consumed credits variable (Page 105, Section 5, Last Paragraph 'To provide protection...'); determining if the variable drop count is less than an available credits variable (Page 104, Section 5, Paragraph 2, note that 'Vr' can be a drop count), wherein the available credits variable represents the total amount of space allocated to receive messages from a particular node (Page 103, Section 4, Paragraph 3); and increasing the message limit field value and transmitting the flow control message header to the transmitting node (Page 105, Section 5, Paragraph 2 and Page 104, Section 5, Last Paragraph 'To provide protection...', the message limit is inherently increased since any increase in 'Vr' will increase the message limit).
- 19. With respect to Claim 11, Kung teaches all the limitations of Claim 10 and further teaches setting a new credits variable equal to the available credits variable plus the

Art Unit: 2155

new credits; and setting the available credits variable to zero (Page 105, Section 5, Last Paragraph – 'To provide protection...').

- 20. With respect to Claim 14, Kung teaches all the limitations of Claim 9 and further teaches transmitting at a predetermined time interval the flow control message header to the transmitting node, wherein a value contained in the message limit field is increased (Page 105, Section 5, Last Paragraph 'To provide protection...').
- 21. With respect to Claim 15, Kung teaches all the limitations of Claim 14 and further teaches the increase in the message limit field further comprises: incrementing send counter and the message sent field (Page 104, Section 5, Paragraph 2); incrementing an available credits variable by a new credits variable (Page 104, Section 5, Paragraph 2), wherein the available credits variable represents the total number of messages the transmitting node may send and the new credits variable represents additional messages that may be transmitted by the transmitting node (Page 105, Section 5, Last Paragraph 'To provide protection...', note that Ur or Vr represents an available credits and lost cells represent new credits); and setting the message limit field equal to the consumed credits variable plus the available credits variable (Page 104, Section 5, Paragraph 2).
- 22. With respect to Claim 16, Kung teaches all the limitations of Claim 9 and further teaches determining if a get credit variable is set to true, wherein the get credit variable represents that additional messages may be sent by the transmitting node to the receiving node (Page 103, Section 4, Paragraph 2); and incrementing the available

Art Unit: 2155

credits variable by the number of additional messages permitted (Page 104, Section 5, Paragraph 2).

- 23. With respect to Claim 17, Kung teaches a system for transmitting and receiving messages in a network (Page 103-105, Sections 3-5), comprising: a receive done module to determine that all messages transmitted have been received based upon a flow control header (Page 105, Section 5, Paragraph 2), wherein the flow control header comprises a message sent field (Page 104, Section 5, Paragraph 2) and a message limit field (Page 103, Section 4, Paragraph 2); and a post send module to update an available credits variable, wherein the available credits variable indicates the total number of messages a transmitting node may send to a receiving node (Page 104, Section 5, Paragraph 2).
- 24. With respect to Claim 18, Kung teaches all the limitations of Claim 17 and further teaches the receive done module increments a consumed credits variable and compares the consumed credits variable to the message sent field to determine if a message has been dropped (Page 104, Section 5, Last Paragraph 'To provide protection...').
- 25. With respect to Claim 19, Kung teaches all the limitations of Claim 18 and further teaches the receive done module will add an additional value to the message limit field when it is determined that a message has been dropped. (Page 105, Section 5, Paragraph 2 and Page 104, Section 5, Last Paragraph 'To provide protection...', the message limit is inherently increased since any increase in 'Vr' will increase the message limit).

Art Unit: 2155

26. With respect to Claim 21, Kung teaches all the limitations of Claim 19 and further teaches a post receive module to increment a new credit variable and process pending message requests (Page 105, Section 5, Last Paragraph).

Page 9

27. With respect to Claim 22, Kung teaches all the limitations of Claim 19 and further teaches a periodic update module to determine at a predetermined time interval if a transmitting node has run out of credits used to transmit messages with (Page 105, Section 5, Last Paragraph).

Claim Rejections - 35 USC § 103

- 28. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 29. Claims 4, 5, 12, 13 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kung in view of U.S. Patent 6,658,469 by Massa et al. (Massa).
- 30. With respect to Claim 4, Kung teaches all the limitations of Claim 3 and further teaches setting a send limit equal to the message limit field (Page 103, Section 4, Paragraph 3). Kung does not explicitly disclose executing a threshold module. Massa teaches the execution of a threshold module in a credit-based message transmission system (Col. 16 lines 22-38). It would have been obvious to one of ordinary skill in the art at the time the invention was made to take the method disclosed by Kung and modify it as indicated by Massa such that the method further comprises executing a threshold module. One would be motivated to have this, as there is need for a flow

Art Unit: 2155

control protocol that works efficiently for all applications (Col. 3 lines 21-25 and Col. 16 lines 47-58 of Massa).

- 31. With respect to Claim 5, Kung in view of Massa teaches all the limitations of Claim 4 and further teaches the threshold module further comprising: determining if the available credits variable is less than a credit threshold variable; and transmitting the flow control message header to the transmitting node (Col. 16 lines 22-38 of Massa).
- 32. With respect to Claim 12, Kung teaches all the limitations of Claim 11 and further teaches setting a send limit equal to the message limit field (Page 103, Section 4, Paragraph 3). Kung does not explicitly disclose executing a threshold module. Massa teaches the execution of a threshold module in a credit-based message transmission system (Col. 16 lines 22-38). It would have been obvious to one of ordinary skill in the art at the time the invention was made to take the method disclosed by Kung and modify it as indicated by Massa such that the method further comprises executing a threshold module. One would be motivated to have this, as there is need for a flow control protocol that works efficiently for all applications (Col. 3 lines 21-25 and Col. 16 lines 47-58 of Massa).
- 33. With respect to Claim 13, Kung in view of Massa teaches all the limitations of Claim 12 and further teaches the threshold module further comprising: determining if the available credits variable is less than a credit threshold variable; and transmitting the flow control message header to the transmitting node (Col. 16 lines 22-38 of Massa).
- 34. With respect to Claim 20, Kung teaches all the limitations of Claim 19 and further teaches updating the message limit field to include additional credits when no further

Art Unit: 2155

credits remain for the transmitting node (Page 103, Section 4, Paragraph 2). Kung does not explicitly disclose a threshold check module to determine if the transmitting node has any available credits remaining. Massa teaches the execution of a threshold module to check the available credits remaining in a credit-based message transmission system (Col. 16 lines 22-38). It would have been obvious to one of ordinary skill in the art at the time the invention was made to take the system disclosed by Kung and modify it as indicated by Massa such that the system further comprises a threshold module to determine if the transmitting node has any available credits remaining. One would be motivated to have this, as there is need for a flow control protocol that works efficiently for all applications (Col. 3 lines 21-25 and Col. 16 lines 47-58 of Massa).

Page 11

Response to Arguments

- 35. Applicant's arguments filed 10/04/2004 have been fully considered but they are not persuasive.
- 36. Applicants argue (Page 17 in Remarks) "Applicant is unable to find in Kung any mention of a "message limit field." Accordingly, Kung does not show each and every element of claim 1. Claims 2 and 3 and *8, since they are dependent upon claim 1, are also distinguished from Kung for the same reasons as claim 1. Apparatus claim 9 has a flow control header element with a "method limit field" as claimed in claim 1 so that the rejection of it based upon Kung is also defective for the same reasons stated for claim 1. Claims 10, 11, 14-16 depend from claim 9. Claim 17 is a claim drawn to a system which also includes a "message limit field" similar to the one claimed in claim 1. Since Kung does not have such a field, the rejection of claim 17 is defective for the same reasons as previously stated for claim 1. Claims 18, 19, 21 and 22 are all dependent from claim 17 and distinguishable from Kung for the same reasons. For the reasons

Art Unit: 2155

stated above and additional reasons, claims 1-3, 6-1 1, 14-19, 21 and 22 are patentable over Kung. Reconsideration and allowance are respectfully requested." Applicants make similar arguments with respect to the §103 rejections on Page 18 in the Remarks.

- a. MPEP 2111 states that claims are to be given their broadest reasonable interpretation consistent with the specification. On page 7 of Applicants' specification, starting at line 24, a "message limit" is described as representing "a total number of messages a remote node may send over the connection". With this description in mind, review of the Kung reference shows that Kung specifically teaches a flow control message (the credit cell), contains a "number of unoccupied cell slots" in relation to the receiving node (Page 103, Section 4, Paragraph 2). Since each unoccupied slot represents an available space for a message, this number represents the total number of messages the receiving node is capable of receiving. In other words, the number represents a total number of messages a sending node may send to the receiving node. This is consistent with the description of the "message limit" given in the specification. Therefore, Kung teaches a "message limit field" and is within the scope of the claimed limitations.
- 37. Applicants argue "The Office Action fails to state a proper obviousness rejection because it did not meet the requirements summarized in §2142 of the MPEP. The Office Action does not attempt to show motivation or reason to combine the two cited documents."

Art Unit: 2155

b. The Office Action mailed 06/04/2004 clearly sets forth motivations/reasons for the combination of the two cited documents (see pages 11-13, paragraphs 33-38 of the Office Action mailed 06/04/2004). Applicants only provide a conclusive statement without any supporting evidence or explanation of how the given motivations are in error.

- 38. Applicants argue "The Office Action fails to state a proper obviousness rejection because it did not meet the requirements summarized in §2142 of the MPEP... Nor does it purport to show evidence that there would be an expectation of success if they were combined as the Office Action proposes."
 - c. MPEP 2143.02 discusses, in detail, "Reasonable Expectation of Success". MPEP 2143.02 primarily deals with the Chemical and Biotechnology arts where there is an inherent level of unpredictability. The Electrical and Computer arts are considered to have a high level of predictability. MPEP 2143.02 states that in predictable arts, the burden is on the applicant to show evidence that there was no reasonable expectation of success. Applicants have failed to show sufficient evidence of there being no reasonable expectation of success. Only conclusive statements were given without specific evidence. Although the Applicants may be implying the previous arguments provide sufficient evidence to support their conclusion, the Examiner has already addressed these previous arguments. As such, the Examiner believes there is reasonable expectation of success based on the high level of predictability in the art as well as the prior art of record both cited in the rejection and discussed in the Examiner's responses above.

Art Unit: 2155

Conclusion

39. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

40. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Lazaro whose telephone number is 571-272-3986. The examiner can normally be reached on 8:30-5:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hosain Alam can be reached on 571-272-3978. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2155

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

David Lazaro

February 25, 2005

HOSAIN ALAM CHEFENISOTY PATENT EXAMINER